

19



Europäisches Patentamt
European Patent Office
Office européen des brevets



11 Publication number:

0 365 160 B1

12

EUROPEAN PATENT SPECIFICATION

- 45 Date of publication of patent specification: 14.12.94 51 Int. Cl.⁵: **A61K 7/40, A61K 7/48, A47L 13/17, A01N 25/34**
- 21 Application number: 89309886.3
- 22 Date of filing: 28.09.89

54 **Wet wipes.**

30 Priority: 18.10.88 US 259076

43 Date of publication of application:
25.04.90 Bulletin 90/17

45 Publication of the grant of the patent:
14.12.94 Bulletin 94/50

94 Designated Contracting States:
BE DE ES FR GB IT SE

56 References cited:

EP-A- 0 211 773	EP-A- 0 247 864
WO-A-87/06470	WO-A-88/03765
DE-A- 3 447 833	GB-A- 1 304 375
US-A- 2 980 941	

73 Proprietor: **SCOTT PAPER COMPANY**
Industrial Highway
Tinicum Island Road
Tinicum Township
Delaware County, PA 19113 (US)

72 Inventor: Yoh, Ho-Ward Julle
29 Hazelhurst Drive
West Berlin New Jersey 08091 (US)

74 Representative: Goetz, Rupert, Dipl.-Ing. et al
Wuesthoff & Wuesthoff
Patent- und Rechtsanwälte
Schweigerstrasse 2
D-81541 München (DE)

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid (Art. 99(1) European patent convention).

Description

The present invention relates to a wet wipe comprising a porous sheet impregnated with an aqueous lotion and further including polymeric beads which preferably provide controlled release of a functional ingredient.

EP-A- 0221773 discloses a one-step dry-and-shine polishing cloth which is coated or impregnated in a discontinuous manner with a polish composition. The polish composition comprises a silicone oil, a detergent and soap or wax. In one form, the cloth comprises a polypropylene meltblown material that has been treated with a surfactant, and the wax is a combination of saponified and non-saponified waxes. The polishing wipe further may have added thereto antistatic agents, UV absorbers and mineral oil.

A variety of treated cloths which are adapted for skin care are commercially available. Such products typically comprise paper or non-woven fabric sheets which are wetted with an aqueous solution of water soluble or water dispersible ingredients. The difficulty presented by these ingredients is that they are typically water insoluble or hydrophobic. It is well-known to incorporate hydrophobic cosmetic ingredients in the form of an oil-in-water emulsion. See U.S. Patent 4,559,157 granted December 17, 1985 to Smith et al., "Cosmetic Applicator Useful for Skin Moisturizing". The drawback of the oil-in-water emulsion approach is twofold. One is that these emulsions tend to be unstable; secondly, the chemicals which emulsify the hydrophobic materials also tend to keep such components from uniformly adhering to the human skin.

Accordingly, it is an object of the present invention to provide hydrophobic functional ingredients in a wet wipe in a stable form.

It is a further object of preferred embodiments of the present invention to controllably release such functional ingredients when applied to the human skin or environmental surfaces.

According to the present invention there is provided a wet wipe comprising a porous sheet comprising a hydrophobic functional ingredient characterized in that said porous sheet is impregnated with an aqueous lotion and comprises polymeric beads, concentrated near the surface of the sheet, wherein said polymeric beads entrap said hydrophobic functional ingredient.

Further features of the wet wipe are set forth in dependent claims 2-5.

The present invention also provides a method of making a wet wipe according to the definition above wherein the porous sheet is impregnated with an aqueous lotion and polymeric beads containing a hydrophobic functional ingredient, entrapped in said beads, are applied.

Further embodiments of the method according to the invention are disclosed in dependent claims 7-11.

As used herein, the term "polymeric beads" shall mean any form of discrete, free-flowing powders or beads which envelope, coat or contain an active ingredient in a polymeric matrix or capsule. Such beads provide for the controllable release over time of the active ingredient either by rupture of the coating or matrix whereby the active ingredient is released when sufficient pressure or shearing action is applied to the bead or the coating or matrix may be semipermeable or porous to allow the active ingredient to diffuse out of the bead. Additionally, as will be appreciated by skill in the pertinent art, the application of heat may lower the viscosity of the entrapped material (or raise its vapor pressure) thereby causing more rapid release from the porous polymeric beads. "Polymeric beads" is intended to encompass microcapsules generally; microcapsules being a well-known form of polymeric beads formed by emulsion polymerization. The term further includes beads formed by polymer entrapment as described in Canadian Patent 1,168,157 and porous beads claimed in U.S. Patent 4,690,825.

Entrapment in a polymer matrix is disclosed in Canadian Patent 1,168,157, issued May 29, 1984 to Eric S. Abrutyn, entitled "Polymer Entrapped Emollient-Moisturizer Composition". According to Abrutyn, water insoluble organic liquids and solids can be entrapped in a hydrophobic polymeric lattice. The polymeric lattice functions to hold and protect the entrapped material and is capable of providing availability of the entrapped material by a variety of mechanisms, particularly pressure. Such materials are commercially available from Wickhen Products, Inc. under the trademark POLYTRAP.

The term porous beads or "microsponges" refers to the time-release delivery vehicles disclosed and claimed in U.S. Patent 54,690,825, granted September 1, 1987 to Richard Won, "Method for Delivering an Active Ingredient by Controlled Time Release Utilizing a Novel Delivery Vehicle which can be Prepared by a Process Utilizing the Active Ingredient as a Porogen".

All of these types of polymeric beads are characterized in providing release of an active ingredient from a network of pores, while the shape of the entrapping cavity and the external shape of the particular may vary. The POLYTRAP polymeric lattices and microsponges have in common the feature that the active or functional ingredient is trapped in a network of pores or cavities during polymerization. The active ingredient thereby has a substantially uniform concentration throughout the network of pores. This uniformity helps to create a more controlled release of the active ingredient from the network of pores over a given period of

time (controlled time-release). As these structures provide a sustained release over a period of time as compared to a total release when the membrane of a microcapsule is broken, they are preferred for use in the present invention. Microcapsules are nonetheless capable of providing time release in many applications where not all of the microcapsules are ruptured at once.

The present inventor contemplates that a wide variety of water insoluble organic liquids and solids may be incorporated within the polymeric beads. The term "functional ingredient" can be defined as any ingredient which when released from the polymeric beads performs some function relative to the surface to which it is applied. Thus, if the wet wipes of the present invention are to be applied to the human skin, the active ingredient may be a drug or beauty aid and might comprise anti-infectives such as antibiotics, antimicrobials and fungicides, antiperspirants, deodorants, sunscreens, emollients, humectants and insect repellants. If they are to be used for wiping environmental surfaces in the home or for agricultural, food service, veterinary or medical applications, the functional ingredient might be a wax or polish, a fragrance, a disinfectant or an insecticide.

The term "aqueous lotion", as used in this specification and the appended claims, refers to any aqueous solution, including hydrogels, and oil-in-water emulsions.

As will be appreciated by one of ordinary skill in the art to which the present invention pertains, the polymeric beads of the present invention are applied at concentrations which provide the transfer of an effective amount of the functional ingredient to the skin or surface when the pre-moistened sheet is pressed or rubbed against the skin or surface.

Cellulosic fibrous webs are preferred as the porous sheet for the wet wipe of the present invention because of their low cost and biodegradability. Especially preferred are paper, air-laid and carded non-woven webs. However, spun-bonded and spun-lace webs are also suitable. For applications where cost and/or biodegradability are not important, alveolar polymeric films, foam and other porous sheets may be employed. Techniques for moistening the wipes and packaging them in moisture impervious packages are well-known in the art and need not be elaborated here.

The feature which the present inventor believes is fundamental to the success of her invention is the concentration of the polymeric beads at or near the surface of the porous sheet. In this way the maximum amount of the functional ingredient which was applied to the sheet will be transferred to the surface to be treated. The present inventor has found that the polymeric beads, because of their particulate nature, when applied to the surface of the sheet, tend to remain near the surface of the sheet and not to penetrate the sheet like a liquid does. Most preferably, the polymeric beads are applied to the sheet before or after the sheet has been impregnated with water or an aqueous lotion. The beads in dry form can be dusted, sifted or sprayed onto the sheet. Alternatively, they can be printed or roll coated in the form of a printing fluid or paste. Less preferably, the polymeric beads can be combined with the aqueous lotion and applied to the web which has already been wetted with water so that the polymeric beads are not carried into the interior of the web as readily when the lotion strikes through a dry web. It is also feasible to apply the polymeric beads with the aqueous lotion to a dry web. However, in the latter case, the beads will not be as concentrated near the surface as when applied to a previously wetted web. The present inventor has found that a more convenient and efficient manufacturing process results when the step of combining the polymeric beads with the aqueous lotion is avoided; i.e., it is generally easier to apply the polymeric beads separately in dry form than to disperse them uniformly in the lotion. As will be understood by one skilled in the pertinent art, the selection of the method of application will be determined largely by the intended use of the wet wipe, as will be illustrated by the following description of the preferred embodiments.

The invention will be further described with reference to the following detailed examples, which illustrate the preparation of wet wipes for treating the human skin and environmental surfaces utilizing the teachings of the present invention.

Emollient oils generally function to lubricate the skin surface and to prevent evaporative loss of skin moisture supplied by underlying tissues. They also function to provide a protective barrier against environmental irritants. The emollient oils useful in the practice of the present invention include those commonly employed in the art such as liquid hydrocarbons, e.g., petrolatum, mineral oil and the like, vegetable and animal fats and oils, viz. lanolin, phospholipids and their derivatives and silicones. Silicones, especially dimethicones are preferred for providing a protective barrier and may consist of one or more of the commercially available dimethicones or linear polydimethylsiloxane polymers having a viscosity in the range of 0.5 to 10 cm²/sec (50 to 1,000 centistokes). Preferably, the dimethicones will be present at about 0.5% to 30% by weight of the web or porous sheet.

Example I

Non-Greasy Barrier Wipe

5 A lotion formulated as shown below was used as a base lotion to lotionize an air-laid, non-woven web having a basis weight of 68 grams per square meter to 300% of the web weight (i.e. about 200 grams lotion per square meter of web.) The lotion was applied by immersing the web in the lotion followed by roll doctoring the web to the desired degree of saturation.

10

Ingredient	% by Weight of Lotion
Bronopol	.05
Methylparaben	.2
Propylparaben	.03
Propylene Glycol	1.5
Water to make up 100%	

15

20 Microsponges containing 50% dimethicone by weight were applied to each side of the non-woven web by fluidizing them in air and spraying them onto the web. The microsponges were applied to each side at the rate of 5% of the dry web weight to make a product containing 10% by weight microsponges or 5% by weight dimethicone. When used to wipe the skin, the wipe deposited the microsponges and expressed dimethicone onto the skin during the wiping action. The dimethicone layer on the skin provided a barrier to protect the skin. The microsponges transferred to the skin continued to provide time-release of dimethicone.

25 Such a wipe may be used as a baby wipe to help prevent diaper rash.

Example II

Low SPF Sun Screen Wipe

30

A spun lace web having a basis weight of 85 grams per square meter is lotionized using the formulation of Example I in the same manner and at the same rate. Microsponges containing a mixture of oxybenzone and octyl dimethyl p-amino benzoate in the ratio of one to three respectively were applied to each side of the wetted non-woven web by the same method as in Example I. The microsponges are applied to each

35 side at the rate of 7% of the weight of the dry web to make a product containing 14% by weight of microsponges or 7% by weight of functional ingredients. The product is non-greasy and when rubbed onto the skin to be protected from sunburn provided protection against the burning rays of the sun; namely, UVA (light of 320 to 400 nanometers in wave length) and UVB (light of 290-320 nanometers in wave length) at a SPF (Sun Protection Factor) level of 4 as measured by the procedure specified by the Food and Drug

40 Administration in the Over-the-Counter Monograph on Sunscreen Drug Products for Over-the-Counter Human Drugs, Proposed Safety, Effective and Labelling Conditions. Fed. Register. 43(166); 38206-38269, August 25, 1978.

Example III

45

High SPF Sun Screen Wipe

In the present example, sun blocking agents are also included in the formulation used to lotionize the web, namely:

50

55

Ingredient	% Weight of Lotion
Oxybenzone	3
Ethylhexyl p-methoxy cinnamate	6
PPG-3 myristyl ether (surfactant)	5
Isopropyl Myristate	4
Glyceryl Stearate	2
Myristyl Alcohol	2
PEG-20 methyl glucose sesquistearate (emulsifier)	2
preservative	0.1
perfume	0.3
Water	75.4

Microsponges are then applied as in Example II. The resulting product is moisturizing to the skin and provides sunburn protection at an SPF level of 20.

Example IV

Non-Greasy Moisturizing Wipe for Hand and Body

An oil-in-water emulsion of the following formulation:

Ingredient	% by Weight of Lotion
Mineral oil	2
Propylene glycol	1.5
methylparaben	0.30
propylparaben	0.04
ethoxylated sorbitol fatty acid ester (surfactant)	0.4
water to make up 100%	

in which is dispersed POLYTRAP polymeric lattices containing 80% by weight dimethicone in an amount equal to 2% by weight of the emulsion is applied at the rate of 300% by weight of the dry web to a carded web made of a 50/50 blend of polyester and rayon and having a basis weight of 51 grams per square meter by means of a constant flow applicator to the web which is moving at a controlled velocity. This wipe feels non-greasy and provides good moisturizing effect for the skin.

Example V

Insect Repellent Wipe

The carded web of Example IV was lotionized with a 2% mineral oil emulsion as described in Example IV which included in place of the polymeric beads containing dimethicone microsponges loaded with the insect repellent DEET-diethyl toluamide at 50% by weight were uniformly dispersed in the lotion at 5% by lotion weight. This wipe provided the insect repelling function but with a more pleasant feel because of the controlled release of the DEET from the polymeric beads and the lubricating effect of the mineral oil. Moreover, the mineral oil would have been difficult to include had the DEET not been entrapped in the polymeric beads.

Example VI

Barrier Wipe for Dry Skin

A non-woven web made of 100% wood pulp having a basis weight of 68 grams per square meter is lotionized by the method described in Example IV to 280% of the dry web weight with an emulsion lotion containing 3% dimethicone as shown below.

dimethicone	3
ethoxylated sorbitol fatty acid ester (surfactant)	0.5
methylparaben	0.2
propylparaben	0.03
bronopol	0.05
water to make up 100%	

A paste consisting of 70% by weight microsponges containing 50% by weight mineral oil and of 30% of distilled water is then printed onto the lotionized web by using a gravure roll. Using this technique, said microsponges were applied to each side at the rate of 7% by dry weight of the web to make a product containing 14% by weight microsponges or 7% of mineral oil. This wipe product is moisturizing and provides an enduring barrier effect to dry skin.

Example VII

Lubricating Shaving Wipe for Legs

A non-woven carded web as described in Example IV is lotionized with an aqueous lotion as described in Example I to 250% of the dry web weight. Microcapsules containing dimethicone are then applied to the lotionized web as in Example I. This product can be used for lubricating skin prior to shaving the legs.

Example VIII

Cleansing and Waxing Wipe for Furnitures

An airlay web as described in Example I is lotionized with a base lotion as described below to 285% of the dry web weight.

ethoxylated sorbitol fatty acid ester (surfactant)	0.5
methylparaben	0.2
propylparaben	0.03
propylene glycol	1.5
bronopol	0.05
water to make up 100%	

Microsponges containing furniture wax are then applied to the lotionized web by the method described in Example I to the extent of 30% of the dry web weight. This product is used to clean and wax furniture in one step.

Claims

1. A wet wipe comprising a porous sheet comprising a hydrophobic functional ingredient characterized in that said porous sheet is impregnated with an aqueous lotion and comprises polymeric beads, concentrated near the surface of the sheet, wherein said polymeric beads entrap said hydrophobic functional ingredient.
2. The wet wipe as claimed in claim 1, characterized in that the beads are microsponges.
3. The wet wipe as claimed in claim 1 or 2, characterized in that the beads are microsponges in the form of a polymeric matrix.
4. The wet wipe as claimed in claim 1, characterized in that the beads are microcapsules.
5. The wet wipe as claimed in any one of the preceding claims, characterized in that said functional ingredient is dimethicone present in an amount between 0.5% to 30% by weight of the porous sheet.

6. A method of making a wet wipe according to any one of the preceding claims wherein the porous sheet is impregnated with an aqueous lotion and polymeric beads containing a hydrophobic functional ingredient, entrapped in said beads, are applied.
- 5 7. The method as claimed in claim 6, characterized in that said beads are applied in dry form.
8. The method as claimed in claim 6, characterized in that said beads are applied in the form of a paste.
9. The method as claimed in any one of claims 6 to 8, characterized in that said beads are applied before
10 the sheet is impregnated with the aqueous lotion.
10. The method as claimed in any one of claims 6 to 8, characterized in that said beads are applied after the sheet is impregnated with the aqueous lotion.
- 15 11. The method as claimed in claim 6, characterized in that said beads are mixed with the aqueous lotion when applied to the sheet.

Patentansprüche

- 20 1. Angefeuchtetes Wischtuch, umfassend ein poröses Tuch, das einen hydrophoben funktionellen Bestandteil enthält, dadurch gekennzeichnet, daß das poröse Tuch mit einer wäßrigen Lotion imprägniert ist und polymere Perlen umfaßt, die nahe der Oberfläche des Tuches konzentriert sind, wobei die polymeren Perlen den hydrophoben funktionellen Bestandteil einschließen.
- 25 2. Angefeuchtetes Wischtuch nach Anspruch 1, dadurch gekennzeichnet, daß die Perlen Mikroschwämme sind.
3. Angefeuchtetes Wischtuch nach Anspruch 1 oder 2, dadurch gekennzeichnet, daß die Perlen Mikroschwämme in Form einer polymeren Matrix sind.
- 30 4. Angefeuchtetes Wischtuch nach Anspruch 1, dadurch gekennzeichnet, daß die Perlen Mikrokapseln sind.
5. Angefeuchtetes Wischtuch nach einem der vorhergehenden Ansprüche, dadurch gekennzeichnet, daß
35 der funktionelle Bestandteil Dimethicon ist, das in einer Menge zwischen 0,5 bis 30 Gew.-% des porösen Tuches vorliegt.
6. Verfahren zur Herstellung eines angefeuchteten Wischtuches gemäß einem der vorhergehenden Ansprüche, worin das poröse Tuch mit einer wäßrigen Lotion imprägniert wird und polymere Perlen,
40 welche den hydrophoben funktionellen Bestandteil eingeschlossen in den Perlen enthalten, vorgesehen werden.
7. Verfahren nach Anspruch 6, dadurch gekennzeichnet, daß die Perlen in trockener Form vorgesehen werden.
- 45 8. Verfahren nach Anspruch 6, dadurch gekennzeichnet, daß die Perlen in Pastenform vorgesehen werden.
9. Verfahren nach einem der Ansprüche 6 bis 8, dadurch gekennzeichnet, daß die Perlen vorgesehen
50 werden, bevor das Tuch mit der wäßrigen Lotion imprägniert wird.
10. Verfahren nach einem der Ansprüche 6 bis 8, dadurch gekennzeichnet, daß die Perlen vorgesehen werden, nachdem das Tuch mit der wäßrigen Lotion imprägniert wird.
- 55 11. Verfahren nach Anspruch 6, dadurch gekennzeichnet, daß die Perlen mit der wäßrigen Lotion vermischt werden, wenn sie auf das Tuch aufgetragen werden.

Revendications

1. Un tissu mouillé comprenant une feuille poreuse qui contient un ingrédient fonctionnel hydrophobe, caractérisé en ce que ladite feuille poreuse est imprégnée d'une lotion aqueuse et comprend des gouttes polymères concentrées près de la surface de la feuille, lesdites gouttes polymères renfermant ledit ingrédient fonctionnel hydrophobe.
2. Le tissu mouillé tel que revendiqué dans la Revendication 1, caractérisé en ce que les gouttes sont des micro-éponges.
3. Le tissu mouillé tel que revendiqué dans la Revendication 1 ou 2, caractérisé en ce que les gouttes sont des micro-éponges présentant la forme d'une matrice polymère.
4. Le tissu mouillé tel que revendiqué dans la Revendication 1, caractérisé en ce que les gouttes sont des micro-capsules.
5. Le tissu mouillé tel que revendiqué dans l'une quelconque des Revendications précédentes, caractérisé en ce que ledit ingrédient fonctionnel est du diméthicone présent dans une quantité comprise entre 0,5 % et 30 % en masse de la feuille poreuse.
6. Une méthode de fabrication d'un tissu mouillé selon l'une quelconque des Revendications précédentes, dans laquelle la feuille poreuse est imprégnée d'une lotion aqueuse et des gouttes polymères contenant un ingrédient fonctionnel hydrophobe, enfermé dans lesdites gouttes, sont appliquées.
7. La méthode telle que revendiquée dans la Revendication 6, caractérisée en ce que lesdites gouttes sont appliquées sous forme sèche.
8. La méthode telle que revendiquée dans la Revendication 6, caractérisée en ce que lesdites gouttes sont appliquées sous la forme d'une pâte.
9. La méthode telle que revendiquée dans l'une quelconque des Revendications 6 à 8, caractérisée en ce que lesdites gouttes sont appliquées avant que la feuille ne soit imprégnée de la lotion aqueuse.
10. La méthode telle que revendiquée dans l'une quelconque des Revendications 6 à 8, caractérisée en ce que lesdites gouttes sont appliquées après que la feuille soit imprégnée de la lotion aqueuse.
11. La méthode telle que revendiquée dans la Revendication 6, caractérisée en ce que lesdites gouttes sont mélangées avec la lotion aqueuse lorsqu'elles sont appliquées sur la feuille.